JOURNAL OF PALEONTOLOGY

INDEX TO VOLUME 45

AUTHOR INDEX

	No.	Page
1. ANSTEY, R. L., Mshanki Pozdnei Permi (Late Permian Bryozoa), by I. P. Morozova (review)	6	1047
2. BAIN, R. J., An overgrowth relationship among Permian fossils from Texas	1	134
3. BARNETT, S. G., Biometric determination of the evolution of *Spathognathodus remscheidensis:* A method for precise intrabasinal time correlations in the Northern Appalachians	2	274
BAYER, T. N., see RIGBY, J. K. (104)		
BEIN, J., see CAMPBELL, K. S. W. (11)		
4. BERRY, W. B. N., and E. C. MARSHALL, Late Ordovician graptolites from the Maquoketa Formation in eastern Missouri	2	253
5. BERRY, W. B. N., Late Ordovician graptolites from southeastern New York	4	633
6. BEU, ALAN, Treatise on Invertebrate Paleontology: Part N, Mollusca 6—Bivalvia, Edited by R. C. Moore and Curt Teichert (review)	1	144
BLACIC, J. M., see SCHOPF, J. W. (111)		
7. BLAKE, D. B., and K. M. TOWE, Acanthopore ultrastructure in the Paleozoic bryozoan *Idioclema insigne* Girty (paleontological note)	5	913
8. BOSS, K. J., Taxonomic revision of the superspecific groups of the Cretaceous and Cenozoic Tellinidae, by Freydoun Afshar, with an Appendix by Harald A. Rehder (review)	3	558
BOURQUE, P. A., see LESPÉRANCE, P. J. (73)		
9. BOWMAN, T. E., *Palaega lamnae*, new species (Crustacea: Isopoda) from the Upper Cretaceous of Texas	3	540
10. BROWNE, R. G., Misassignment of Silurian gastropod protoconch casts to taxa of Foraminifera (paleontological note)	1	141
BUCHER, J. L., see LEISMAN, G. A. (71)		
11. CAMPBELL, K. S. W., and J. BEIN, Some Lower Carboniferous crinoids from New South Wales	3	419
12. CAMPBELL, L. D., Occurrence of "*Ogygopsis* shale" fauna in southeastern Pennsylvania	3	437
CANIS, W. F., see GUTSCHICK, R. C. (51)		
13. CARROLL, R. L., and PAMELA GASKILL, A captorhinomorph reptile from the Lower Permian of Europe	3	450
CARTER, CLAIRE, see CHURKIN, MICHAEL, JR. (22)		
14. CASTER, K. E., Les Echinodermes Carpöides de l'Ordovician Inferieur de la Montagne Noire (France), by G. Ubaghs (review)	5	919
15. CECIONI, GIOVANNI, Marines Pliozän und Pleistozän in Nord-und Mittel Chile, unter besonderer Berücksichtigung der Entwicklung der Mollusken-Faunen (Marine Pliocene and Pleistocene in north and central Chile, with special reference to the development of the molluscan faunas) by D. Herm (review)	2	353
16. CHAMBERLAIN, C. K., Morphology and ethology of trace fossils from the Ouachita Mountains, southeast Oklahoma	2	212
17. CHAMBERLAIN, C. K., Biogenic mounds in the Dakota Sandstone of northwestern New Mexico	4	641
18. CHAMBERLAIN, C. K., A "by-the-wind-sailor," (*Velellidae*) from the Pennsylvanian Flysch of Oklahoma	4	724
19. CHIANG, K. K., Silurian pentameracean brachiopods of the Fossil Hill Formation, Ontario	5	849
20. CHUANG, SHOU-HWA, New interpretation of the morphology of *Schizambon australis* Ulrich and Cooper (Ordovician siphonotretid inarticulate brachiopod)	5	824
21. CHURCH, C. C., Memorial to G. Dallas Hanna	6	1053
22. CHURKIN, MICHAEL, JR., and CLAIRE CARTER, *Hemicricus*, a new name for the tentaculid genus *Semicyclus* Churkin and Carter	3	556
23. CISNE, J. L., Paleoecology of trilobites of the Kaibab Limestone (Permian) in Arizona, Utah, and Nevada	3	525
24. COOPER, R. A., The identity of *Isograptus caduceus* (Salter) *sensu stricto*	5	902
25. COWAN, RICHARD, The food of articulate brachiopods—a discussion	1	137
26. CRACRAFT, JOEL, Caenagnathiformes: Cretaceous birds convergent in jaw mechanism to dicynodont reptiles	5	805
CRAIG, W. W., see REXROAD, C. B. (101)		
27. CUFFEY, R. J., Bryozoans, by J. S. Ryland (review)	5	921
28. CYS, J. M., The palate and affinities of Mirotenthes (Reptilia: Theriodontia)	1	122
29. DILCHER, D. L., The Eocene Green River Flora of Northwestern Colorado and Northeastern Utah, by H. D. MacGintie (review)	4	739
30. DUNN, D. B., Population, Species, and Evolution—an Abridgement of Animal Species and Evolution, by Ernst Mayr (review)	4	740
31. EASTON, W. H., Presidential address: Paleontologists and paleontology—an appraisal and a proposal	5	773
32. EATON, T. H., The Dinosaurs, by W. E. Swinton (review)	4	740
EDWARDS, LLOYD N., see GEVERS, T. W. (43)		

XUM

33. ELDREDGE, NILES, Patterns of cephalic musculature in the Phacopina (Trilobita) and their phylogenetic significance 1 52
34. ERDTMANN, BERND-D., *Tetragraptus otagoensis* and *Janograptus terranovensis*, n. sp., Ordovician graptolites from western and northern Newfoundland 2 258
35. FAGERSTROM, J. A., Devonian strata of Alpena and Presque Isle Counties, Michigan, by George M. Ehlers and Robert V. Kesling (review) 3 557
36. FAHRAEUS, L. E., Lower Devonian conodonts from the Michelle and Prongs Creek Formations, Yukon Territory 4 665
FARMANFARMAIAN, A., see SCHOPF, T. J. M. (112)
37. FELDMAN, R. M., and F. D. HOLLAND, JR., A new species of lobster from the Cannonball Formation (Paleocene) of North Dakota 5 838
38. FINKS, R. M., A new Permian eutaxicladine demosponge, mosaic evolution, and the origin of the Dicranocladina 6 977
FORD, N. S., see THOMPSON, T. L. (126)
FRAKES, L. A., see GEVERS, T. W. (43)
39. FRERICHS, W. E., Evolution of Planktonic Foraminifera and paleotemperatures 6 963
40. FREY, R. W., and G. P. LARWOOD, *Pyripora shawi;* new bryozoan from the Upper Cretaceous of Kansas (Niobrara Chalk) and Arkansas (Brownstone Marl) 6 969
FRIEDMAN, G. M., see GEVIRTZ, J. L. (44)
41. GALTON, P. M., A primitive dome-headed dinosaur (Ornithischia: Pachycephalosauridae) from the Lower Cretaceous of England and the function of the dome in pachycephalosaurids 1 40
42. GALTON, P. M., The prosauropod dinosaur *Ammosaurus*, the crocodile *Protosuchus*, and their bearing on the age of the Navajo Sandstone of northeastern Arizona 5 781
GASKILL, PAMELA, see CARROLL, R. L. (13)
GAYLE, H. B., see PACK, P. D. (92)
43. GEVERS, T. W., L. A. FRAKES, L. N. EDWARDS and J. E. MARZOLF, Trace fossils in the lower Beacon sediments (Devonian), Darwin Mountains, southern Victoria Land, Antarctica 1 81
44. GEVIRTZ, J. L., R. A. PARK, and G. M. FRIEDMAN, Paraecology of benthonic Foraminifera and associated micro-organisms of the Continental shelf off Long Island, New York 2 153
45. GOLL, R. M., Nomenclatural controversy concerning an emended family of Radiolaria (nomenclatural note) 4 734
GOOCH, J. L., see SCHOPF, T. J. M. (112)
46. GOULD, S. J., Precise but fortuitous convergence in Pleistocene land snails from Bermuda 3 409
47. GOULD, S. J., Tübingen meeting on form (paleontological note) 6 1042
and *Thuroholia*—restudy of *Eocaudina* and *Protocaudina* from the Devonian of Iowa 2 327
GRANT, R. E., see STEHLI, F. G. (121)
48. GRANT, R. E., Living and Fossil Brachiopods by M. J. S. Rudwick (review) 5 918
49. GREEN, MORTON, Additions to the Mission vertebrate fauna, Lower Pliocene of South Dakota 3 486
50. GUBER, A. L., Problems of sexual dimorphism, populations structure and taxonomy of the Ordovician genus *Tetradella* (Ostracods) 1 6
51. GUTSCHICK, R. C., and W. F. CANIS, The holothurian sclerite genera *Cucumarites*, *Eocaudina*, and *Thuroholia* restudy of *Eocaudina* and *Protocaudina* from the Devonian of Iowa 2 327
52. HAAS, OTTO, Inversion of ammonoid suture lines? A reply (paleontological note) 1 141
53. HAAS, OTTO, Recent literature on Mesozoic ammonites—part XII 3 542
54. HARRIS, J. M., Chemical preparation of gypsum encrusted vertebrate material 2 350
55. HERR, S. R., Regeneration and growth abnormalities in *Orthograptus quadrimucronatus* from the Ordovician Maquoketa Formation of Iowa 4 628
56. HOFMANN, H. J., Polygonomorph acritarch from the Gunflint Formation (Precambrian), Ontario 3 322
HOLLAND, F. D. JR., see FELDMAN, R. M. (37)
HORODYSKI, R. J., see SCHOPF, J. W. (110)
57. HOSKIN, C. M., Carbonate Sediments and Reefs, Yucatan Shelf Mexico, by B. W. Logan, J. L. Harding, W. M. Ahr, and R. S. Snead; Tectonic Relations of Northern Central America and the Western Caribbean—the Bonacca Expedition, A. R. McBirney (ed.); Other Papers on Florida and British Honduras, by M. N. Bass and D. E. Cebulski (review) 6 1048
58. HOSTETLER, BLAIR, Potassium-Argon Dating—Principles, Techniques, and Applications to Geochronology, by G. B. Dalrymple and M. A. Lanphere (review) 4 738
59. HOWELL, D. G., A stromatolite from the Proterozoic Pahrump Group, eastern California 1 48
60. JEFFORDS, R. M., The Salient Provisions of the *International Code of Zoological Nomenclature:* A Summary for Nontaxonomists, by H. M. Smith and Olwen Williams (review) 2 352
61. JEFFERIES, R. S. P., Some comments on the origin of chordates (paleontological note) 5 910
62. JOHNSON, J. G., Some new and problematical brachiopods from the Lower Devonian of Nevada 1 95
63. JOHNSON, J. G., Lower Givetian brachiopods from central Nevada 2 301
KAESLER, R. L., see KOEPNICK, R. B. (67)
64. KAGAN, SIOMA, Resources and Man—A Study and Recommendations by the Committee on Resources and Man. National Academy of Sciences—National Research Council (review) ... 4 736
65. KERN, J. P., Paleoenvironmental analysis of a Late Pleistocene estuary in southern California 5 810
KING, C. W., see MERRILL, G. K. (87)
66. KJELLESVIG-WAERING, E. N., A new Downtonian stylonurid from central England (Silurian, Eurypterida) 3 538
67. KOEPNICK, R. B., and R. L. KAESLER, Intraspecific variation of morphology of *Triticites cullomensis* (Fusulinacea), a statistical analysis 5 881
KRAFT, J. C., see PICKETT, T. E. (98)
68. KURTZ, V. E., Upper Cambrian Acrotretidae from Missouri 3 470
KVENVOLDEN, K. A., see SCHOPF, J. W. (110)
LARWOOD, G. P., see FREY, R. W. (40)

69. LAWRENCE, D. R., Shell orientation in Recent and fossil oyster communities from the Carolinas 2 347
70. LAWRENCE, D. R., The nature and structure of paleoecology 4 593
71. LEISMAN, G. A., and J. L. BUCHER, Variability in *Calamocarpon insignis* from the American Carboniferous 3 494
72. LENZ, A. C., *Werneckeella*, a new Lower Devonian rhynchonellid brachiopod, Royal Creek, Yukon Territory 5 844
73. LESPÉRANCE, P. J., and P. A. BOURQUE, The Synphoriinae: an evolutionary pattern of Lower and Middle Devonian trilobites 2 182
74. LEVIN, H. L., and R. W. SHERWOOD, A new Eocene species of *Discolithina* from Texas (paleontological note) 4 731
75. LIPPS, J. H., Eocene and Oligocene Foraminifera from the Santa Cruz Mountains, California, by W. W. Fairchild, P. R. Wesendunk, and D. W. Weaver (review) 2 351
76. LOEBLICH, A. R., JR., Die Mikrofazies und Mikrofossilien des Oberjuras und der Klippenzone der Westkarpaten, by Karol Borza (review) 1 14
77. LOEBLICH, A. R., JR., Proceedings of the First International Conference on Planktonic Microfossils, Geneva, edited by P. Bronnimann and H. H. Renz 1 142
78. LOEBLICH, A. R., JR., and HELEN TAPPAN, New observations of the ultrastructure of *Asketopalla*, an Ordovician acritarch 5 899
79. LOEBLICH, A. R., JR., Catalogue of Calcareous Nannofossils, by Anna Farinacci (review) ... 6 1047
80. MCALESTER, A. L., Oxygen consumption rates and their paleontologic significance, reply (paleontological note) 5 917
81. MCKENNA, M. C., J. S. MELLETT and F. S. SZALAY, Relationships of the Cretaceous mammal *Deltaheridium* 3 441
82. MCKINNEY, F. K., *Stenoporella*, a late Mississippian trepostomatous ectoproct (Bryozoan) . 4 713
83. MCLEAN, D. M., Transfer of *Baltisphaeridium septatum* Cookson & Eisenack, 1967, from the Acritarcha to the Dinophyceae 4 729
84. MACADAM, R. B., Preservation of organic-walled microfossil types studied by scanning electron microscopy 1 140
85. MACADAM, R. B., Preparations of palynomorphs for the SEM (paleontological note) 6 1039
86. MANGER, W. L., The Mississippian ammonoids *Karagandoceras* and *Kazakhstania* from Ohio 1 33
MARSHALL, F. C., see BERRY, W. B. N. (4)
MARZOLF, J. E., see GEVERS, T. W. (43)
MELLETT, J. S., see MCKENNA, M. C. (81)
87. MERRILL, G. K., and C. W. KING, Platform conodonts from the lowest Pennsylvanian rocks of northwestern Illinois 4 645
88. MOSHER, L. C., Type species for *Paragondolella* Mosher (nomenclatural note) 4 735
89. MOSHER, L. C., Conodont evidence for the Middle-Upper Triassic boundary in the Union District, Shoshone Mountains, Nevada 6 1034
90. NASSICHUK, W. W., Permian ammonoids and nautiloids, southeastern Eagle Plain, Yukon Territory 6 1001
OEHLER, D. Z., see SCHOPF, J. W. (110)
91. OLSON, E. C., A skeleton of *Lysorophus tricarinatus* (Amphibia: Lepospondyli) from the Hennessey Formation (Permian) of Oklahoma 3 443
92. PACK, P. D., and H. B. GAYLE, A new olenellid trilobite, *Biceratops nevadensis*, from the Lower Cambrian near Las Vegas, Nevada 5 893
PARK, R. A., see GEVIRTZ, J. L. (44)
93. PERKINS, P. L., The dipnoan fish *Dipterus* from the Middle Devonian (Givetian) of Alaska (paleontological note) 3 554
94. PFEFFERKORN, H. W., Note on *Conostichus broadheadi* Lesquereux (Trace Fossil: Pennsylvanian) 5 888
95. PHILCOX, M. E., Growth forms and role of colonial coelenterates in reefs of the Gower Formation (Silurian), Iowa 2 338
96. PHILIP, G. M., and H. L. STRIMPLE, An interpretation of the crinoid *Aethocrinus moorei* Ubaghs 3 491
97. PICARD, M. D., The French Lieutenant's Woman, by John Fowles (review) 2 350
98. PICKETT, T. E., J. C. KRAFT, and KENNETH SMITH, Cretaceous burrows—Chesapeake and Delaware Canal, Delaware 2 209
99. POAG, C. W., Notes on the morphology and habit of *Vasiglobulina alabamensis* (Foraminiferida) 6 961
100. POJETA, JOHN, JR., Treatise on Invertebrate Paleontology: Part N, Mollusca 6—Bivalvia, Edited by R. C. Moore and Curt Teichert (review) 1 144
101. REXROAD, C. B., and W. W. CRAIG, Restudy of conodonts from the Bainbridge Formation (Silurian) at Lithium, Missouri 4 684
102. RICH, MARK, Fusulinids from central Mojave Desert and adjoining area, California 6 1022
103. RIGBY, J. K., and W. L. STOKES, *Hapliston sphaericum* Finks, a rhizomorine sponge, from the Pennsylvanian of southeastern Utah 3 553
104. RIGBY, J. K., and T. N. BAYER, Sponges of the Ordovician Maquoketa Formation in Minnesota and Iowa 4 608
105. ROBISON, R. A., Additional Middle Cambrian trilobites from the Wheeler Shale of Utah 5 796
106. RUNNEGAR, BRUCE, Treatise on Invertebrate Paleontology: Part N, Mollusca 6—Bivalvia, Edited by R. C. Moore and Curt Teichert (review) 1 144
107. SANDERSON, G. A., A bibliography of the Family Fusulinidae, Addendum 8 ..... 6 1028
108. SATTERFIELD, IRA R., Conodonts and stratigraphy of the Girardeau Limestone (Ordovician) of southeast Missouri and southwest Illinois 2 265
109. SAUNDERS, W. BRUCE, The Somoholitidae: Mississippian to Permian Ammonoidea 1 100

110. SCHOPF, J. W., D. Z. OEHLER, R. J. HORODSKI, and K. A. KVENVOLDEN, Biogenicity and significance of the oldest known stromatolites 3 477
111. SCHOPF, J. W., and J. M. BLACIC, New microorganisms from the Bitter Springs Formation (late Precambrian) of the north-central Amadeus Basin, Australia 6 925
112. SCHOPF, T. J. M., A. FARMANFARMAIAN, and JAMES L. GOOCH, Oxygen consumption rates and their paleontological significance 2 247
113. SCHRAM, F. R., *Litogaster turnbullensis* (sp. nov.): a Lower Triassic glypheid decapod crustacean from Idaho 3 534
114. SCHWAB, K. W., Ultrastructure of the conodont *Stereoconus gracilis* Branson & Mehl: A preliminary study (paleontological note) 6 1043
115. SCOTT, R. W., Eurypterid from the Dunkard Group (Pennsylvanian and Permian), southwestern Pennsylvania 5 833
116. SEDDON, GEORGE and W. C. SWEET, An ecologic model for conodonts 5 869
117. SHAW, A. B., The butterfingered handmaiden 1 1
118. SIMPSON, G. G., Recent literature on Mesozoic mammals 5 862
SMITH, KENNETH, see PICKETT, T. E. (98)
119. SORAUF, J. E., Microstructure in the exoskeleton of some Rugosa (Coelenterata) 1 23
120. SPEDEN, IAN, Treatise on Invertebrate Paleontology: Part N, Mollusca 6—Bivalvia, Edited by R. C. Moore and Curt Teichert (review) 1 144
121. STEHLI, F. G., and R. E. GRANT, Permian brachiopods from Axel Heiberg Island, Canada, and an index of sampling efficiency 3 502
122. STITT, J. H., Repeating evolutionary pattern in Late Cambrian trilobite biomeres 2 178
STOKES, W. L., see RIGBY, J. K. (103)
STRIMPLE, H. L., see PHILIP, G. M. (96)
123. STRIMPLE, H. L., A Permian crinoid from Coahuila, Mexico (paleontological note) 6 1040
124. STRIMPLE, H. L., Crinoids from the Vinland Shale (Virgilian) of Kansas 6 998
125. SUTHERLAND, P. K., Bibliographie der Palaozoischen Anthozoa (Rugosa, Heterocorallia, Tabulata, Heliolitida, Trachypsammiacea), by Helmut W. Flügel (review) 5 922
SWEET, W. C., see THOMPSON, T. L. (126)
SZALAY, F. S., see MCKENNA, M. C. (81)
TAPPAN, HELEN, see LOEBLICH, A. R., JR. (78)
126. THOMPSON, T. L., N. S. FORD, and W. C. SWEET, Conodonts from the Rushville Formation (Mississippian) of Ohio 4 704
TOWE, K. M., see BLAKE, D. B. (7)
127. VALENTINE, J. W., How many "fossilizable" species of Sarcodina? A new fallacy 3 555
128. VAUGHN, P. P., A *Platyphystrix*-like amphibian with fused vertebrae, from the Upper Pennsylvanian of Ohio 3 464
129. VOORHIES, M. R., Paleoclimatic significance of crocodilian remains from the Ogallala Group (upper Tertiary) in northeastern Nebraska 1 119
130. WATERHOUSE, J. B., The brachiopod genus *Tomiopsis* Benedictova from the Permian of Canada 1 68
131. WILSON, L. R., Note on the use of stains for colorless silicified wood (paleontological note) 5 912
132. YOCHELSON, E. L., The little-known Pennsylvanian *Clavulites* reinterpreted as a "worm" ... 1 126
133. YOCHELSON, E. L., The Permian nautiloid mandible *Rhyncholeuthis kaibabensis* reinterpreted as a polyplacophoran 1 130
134. YOCHELSON, E. L., Announcement by International Commission on Zoological Nomenclature (notice) 1 150
135. YOCHELSON, E. L., Announcement by International Commission on Zoological Nomenclature (announcement) 6 1051

SUBJECT INDEX

Acritarch: *Asketopalla*, new observations on structure (78); *Baltisphaeridium septatum* to Dinophyceae (83); Precambrian, Ontario (56)
Aethocrinus moorei: Ordovician crinoid, interpretation (96)
Africa: Reptilia, Permian (28)
Aglaocrinus cranei: new species, crinoid (124)
Alaska: dipnoan fish, Devonian (93)
Algae: Precambrian, Australia (111)
Alokistocare harrisi: new species, trilobite (105)
Ammonoidea: Mesozoic, recent literature (53); Mississippian, Ohio (86); Mississippian to Permian, Somoholitidae (109); Permian, Yukon Territory (90); suture lines (52); Timor, Permian (109)
Ammosaurus: Upper Triassic, Arizona and Connecticut (42)
Amphibia: Pennsylvanian, Ohio (128); Permian, Oklahoma (91)
Angulotreta missouriensis: new species, brachiopod (68)
Anisopyge mckeei: new species, trilobite (23)
Annamitiidae: new family, trilobites (105)
Anoplia klapperi: new species, brachiopod (62)
Antarctica: trace fossils, Devonian (43)
Apsotreta attenuata: new species, brachiopod (68)
Apsotreta stricta: new species, brachiopod (68)
Arkansas: bryozoans, Upper Cretaceous (40)
Arizona: *Ammosaurus*, Triassic (42); nautiloid, Permian (133)
Arthropodichnus antarcticum: new ichnospecies, arthropod trails (43)

Arthropodichnus darwinum: new ichnospecies, arthropod trails (43)
Arthropodichnus gouldi: new ichnogenus and ichnospecies, arthropod trails (43)
Arthropods: trails, Devonian, Antarctica (43)
Asketopalla: acritarch, Ordovician (78)
Astreptorhachis ohioensis: new genus and species, amphibian (128)
Aulocopella dactylos: new species, sponge (104)
Aulocopella probolos: new species, sponge (104)
Aulacopella scelidos: new species, sponge (104)
Australia: microorganisms, Precambrian (111)
Aves: *Caenagnathiformes*, not Reptila (26)
Baltisphaeridium septatum: transfer from Acritarcha to Dinophyceae (83)
Batropetes: new genus, captorhinomorph reptile (13)
Bermuda: Pleistocene, snails (46)
Bibliography: Fusulinidae (107)
Biceratops nevadensis: new genus and species, trilobite (92)
Biceratopsinae: new subfamily, trilobite (92)
Bigeminococcus lamellosus: new genus and species, cyanophyte (blue-green algae) (111)
Bigeminococcus mucidus: new species, cyanophyte (blue-green algae) (111)
Biogenic mounds: Cretaceous, New Mexico (17)
Biometric analysis: evolution of *Spathognathodus remscheidensis*, conodont (3)
Brachiopoda: Cambrian, Missouri (68); Devonian, Nevada (62); Devonian, Nevada (63); Devonian, Yukon Territory (72); food (25); Inarticulate, morphology, Ordovician (20); Permian, Canada (130); Permian, Canada (121); Silurian, Ontario (19)
Brachyaspidion microps: new species, trilobite (105)
Bryozoa: acanthopore structure of *Idioclema insigne* (7); Upper Cretaceous, Arkansas and Kansas (40); *Stenoporella*, Mississippian (82)
Burrows: Cretaceous, Delaware (98)
"By-the-wind-sailor" (Velellidae): Pennsylvanian, Oklahoma (18)
Caenagnathiformes: Aves, not Reptilia (26)
Caenagnathus sternbergi: new species, Aves (26)
Calamocarpon insignis: Calamitales, variability (71)
California: fusulinids, Mojave Desert (102); paleoenvironmental analysis, Pleistocene (65); stromatolite, Proterozoic (59)
Calamitales: Carboniferous, Kansas (71)
Cambrian: brachiopods, Missouri (68); *Ogygopsis* shale fauna, Pennsylvania (12); trilobite evolution (122); trilobites, Nevada (92); trilobites, Utah (105)
Camellaspongia tumula: new genus and species, sponge (104)
Canada: brachiopods, Permian (130); brachiopods, Permian (121)
Carboniferous: Calamitales, Kansas (71)
Carboniferous, Lower: crinoids, New South Wales (11)
Cassidirostrum vexans: new species, brachiopod (63)
Caudiculophycus acuminatus: new species, cyanophyte (blue-green algae) (111)
Cephalophytarion constrictum: new species, cyanophyte (blue-green algae) (111)
Cephalophytarion delicatulum: new species, cyanophyte (blue-green algae) (111)
Cephalophytarion laticellulosum: new species, cyanophyte (blue-green algae) (111)
Cephalophytarion variabile: new species, cyanophyte (blue-green algae) (111)
Chordates: origin (61)
Cluster analysis: paraecology of Foraminifera (44)
Coelenterata: microstructure in exoskeleton of corals (119); Silurian, Iowa (95)
Connecticut: *Ammosaurus*, Triassic (42)
Conodonts: biometric analysis, Devonian (3); Devonian, Yukon Territory (36); ecologic model (116); Mississippian, Ohio (126); Ordovician, SE Missouri and SW Illinois (108); Pennsylvanian, Illinois (87); Silurian, Missouri (101); Triassic, Nevada (89); ultrastructure of *Stereoconus gracilis* (114)
Conostichus broadheadi: trace fossil, Pennsylvanian (94)
Continental shelf: paraecology of Foraminifera (44)
Corals: microstructure in exoskeleton (119)
Cotylahindia panaca: new genus and species, sponge (104)
Cretaceous: biogenic mounds, New Mexico (17); bryozoans, Arkansas and Kansas (40); burrows, Delaware (98); *Deltatheridium* relationships, mammal (81); dinosaur, England (41); Isopoda, Texas (9)
Cribanocrinus biseriatus: new species, crinoid (11)
Crinoidea: Pennsylvanian, Kansas (124); Lower Carboniferous, New South Wales (11); Permian, Mexico (123)
Crocodilians: Upper Tertiary, Nebraska (129)
Crurithyris aquilonia: new species, brachiopod (121)
Crurithyris calendae: new species, brachiopod (63)
Crustacea: Cretaceous, Texas (9); Triassic, Idaho (113)
Crustacea (lobster): Paleocene, North Dakota (37)
Delaria mcclintocki: new species, trilobite (23)
Delaria snowi: new species, trilobite (23)
Delaware: Cretaceous burrows (98)
Deltatheridium relationships: mammal, Cretaceous (81)
Devonian: brachiopods, Nevada (62); brachiopods, Nevada (63); brachiopod, Yukon Territory (72); conodonts, biometric analysis (3); conodonts, Yukon Territory (36); dipnoan fish, Alaska (93); holothurian, Iowa (51); trilobites, evolutionary pattern (73); trace fossils, Antarctica (43)
Dicranocladina: origin (sponge) (38)
Dimorphism: *Tetradella*, Ordovician ostracode (50)

Dinophyceae: *Baltisphaeridium septatum* from Acritarcha (83)
Dinosaur: Lower Cretaceous, England (41)
Dipnoan fish: Devonian, Alaska (93)
Discolithina amphitheatralis: new species, nannofossil (74)
Distocodus posterocostatus: new species, conodont (101)
Dunkard Group: partly Pennsylvanian, Pennsylvania (115)
Ecology: model for conodonts (116)
Education: of paleontologists (31)
Electron microscopy, scanning: preservation of specimens (84)
England: dinosaur, Lower Cretaceous (41); eurypterid, Silurian (66)
Environmental analysis: conodonts, northern Appalachians (3)
Eocaudina: holothurian, restudy (51)
Eocene: nannofossil, Texas (74)
Eotetrahedrion princeps: new genus and species, chlorophycean (green) or rhodophycean (red) algae (111)
Eozygion grande: new genus and species, cyanophyte (blue-green algae) (111)
Eozygion minutim: new species, cyanophyte (blue-green algae) (111)
Europe: reptile, Permian (13)
Eurypterida: Pennsylvanian, Pennsylvania (115); Silurian, England (66)
Evolution: biometric determination, conodonts (3); blue-green algae, Precambrian (111); Devonian trilobites (73); pattern in Cambrian trilobites (122); planktonic foraminifera (39); Pleistocene snails, Bermuda (46); sponge (38)
Extinction rate: relation to oxygen consumption (112)
Filiconstrictosus diminutus: new species, cyanophyte (blue-green algae) (111)
Filiconstrictosus majusculus: new genus and species, cyanophyte (blue-green algae) (111)
Foraminiferida: benthonic, paraecology (44); evolution of planktonic forms (39); morphology and habit of *Vasiglobulina alabamensis* (99); Silurian, gastropod protoconchs (10)
Fossils: stratigraphic documentation (117)
France: crinoid, Ordovician (96)
Fusulinacea: intraspecific analysis (67)
Fusulinidae: bibliography (107); Mojave Desert, California (102)
Gastropoda: Pleistocene snails, Bermuda (46); Silurian, misassignment to foraminifera (10)
Girardeau Limestone: Ordovician, conodonts (108)
Glenobotrydion majorinum: new species, chlorophycean (green) or rhodophycean (red) algae (111)
Gnathodus reversus: new species, conodont (126)
Gondolella gymna: new species, conodont (87)
Graffhamicrinus profundus: new species, crinoid (124)
Graptolites: identity of *Isograptus caduceus*, Ordovician (24); Ordovician, Iowa (55); Ordovician, Missouri (4); Ordovician, Newfoundland (34); Ordovician, New York (5)
Heliconema funiculum: new species, cyanophyte (blue-green algae) (111)
Hemicricus: new name for tentaculid genus *Semicyclus* (22)
Holothurian: Devonian, Iowa (51)
Idaho: decapod crustacean, Triassic (113)
Idioclema insigne: acanthopore ultrastructure bryozoan (7)
Illinois: conodonts, Ordovician (108); conodonts, Pennsylvanian (87)
Iowa: Coelenterata, Silurian (95); graptolites, Ordovician (55); holothurian, Devonian (51; sponges, Ordovician (104)
Isograptus caduceus: graptolite, identity of, type locality (24)
Janograptus terranovensis: new species, graptolite (34)
Jenkinsonia varga: new genus and species, trilobite (105)
Kaibab Limestone: trilobites, paleoecology (23)
Kansas: bryozoans, Upper Cretaceous (40); Calamitales, Carboniferous (71); crinoids, Pennsylvanian (124); worms, Pennsylvanian (132)
Karagandoceras bradfordi: new species, ammonoid (86)
Kayenta Formation: Upper Triassic, Arizona (42)
Lanicoidichna metuluta: new ichnogenus and new ichnospecies, dwelling burrow (16)
Leiorhynchus miriam: new species, brachiopod (63)
Leiorhynchus miriam alpha: new subspecies, brachiopod (63)
Leiorhynchus miriam miriam: new subspecies, brachiopod (63)
Leptathyris index: new species, brachiopod (63)
Linnarssonella costa: new species, brachiopod (68)
Literature: mammals, Mesozoic (118)
Litogaster turnbullensis: new species, decapod crustacean (113)
Lonchodina transitans: new species, conodont (87)
Lophoclenium haudimmineri: new ichnospecies, feeding burrow (16)
Lysorophus tricarinatus: Permian amphibian, Oklahoma (91)
Mammal: Cretaceous, *Delitatheridium* relationships (81)
Mammals: literature, Mesozoic (118)
Mammillichnis aggeris: new ichnogenus and new ichnospecies, feeding burrow (16)
Manillacrinus: new genus, crinoid (11)
Maquoketa Formation: *Orthograptus quadrimucronatus*, Iowa (55); sponges, Minnesota and Iowa (104)
Mollusca: oyster communities, shell orientation (69)
Mesozoic: ammonites, recent literature (53); mammals, literature (118)
Mexico: crinoid, Permian (123)
Micatuba verso: new ichnogenus and new ichnospecies, feeding burrow (16)
Microfossils: preservation after electron microscopy (84)

Microorganisms: Precambrian, Australia (111)
Minnesota: sponges, Ordovician (104)
Mississippian: ammonoids, Ohio (86); ammonoids, Somoholitidae (109); conodonts, Ohio (126); *Stenoporella*, bryozoan (82); trace fossils, Oklahoma (16)
Missouri: brachiopods, Cambrian (68); conodonts, Ordovician (108); conodonts, Silurian (101); graptolites, Ordovician (4)
Nannofossil: Eocene, Texas (74)
Nautiloids: Permian, Arizona (133); Permian, Yukon Territory (90)
Navajo Formation: mostly Upper Triassic, Arizona (42)
Nebraska: crocodiles, Tertiary (129)
Nemesa? cimex: new species, brachiopod (63)
Nephrops buntingi: new species, lobster (37)
Nevada: brachiopods, Devonian (62); brachiopods, Devonian (63); conodonts, Triassic (89); trilobite, Cambrian (92)
Newfoundland: graptolites, Ordovician (34)
New Jersey: conodonts, Devonian (3)
New Mexico: biogenic mounds, Cretaceous (17)
New South Wales: crinoids, Lower Carboniferous (11)
New York: conodonts, Devonian (3); graptolites, Ordovician (5)
North Dakota: lobster, Paleocene (37)
Obconicophycus amadeus: new genus and species, cyanophyte, blue-green algae (111)
Ogygopsis shale fauna: Cambrian, Pennsylvania (12)
Ohio: Ammonoids, Mississippian (86); amphibian, Pennsylvanian (128); conodonts, Mississippian (126)
Oklahoma: amphibian, Permian (91); "By-the-wind-sailor," Pennsylvanian (18); trace fossils, Mississippian-Pennsylvanian (16)
Ontario: acritarch, Precambrian (56); brachiopod, Silurian (19)
Ordovician: *Asketopalla* (acritarch) new observations on structure (78); conodonts, SE Missouri and SW Illinois (108); crinoid, France (96); graptolites, Missouri (4); graptolites, Newfoundland (34); graptolites, New York (5); identity of *Isograptus caduceus*, graptolite (24); morphology of inarticulate brachiopod (20); *Orthograptus quadrimucronatus*, regeneration and growth abnormalities (55); sponges, Minnesota and Iowa (104); *Tetradella*, ostracode (50)
Orthograptus quadrimucronatus: regeneration and growth abnormalities, graptolite (55)
Oscillatoriopsis breviconvexa: new species cyanophyte (blue-green algae) (111)
Ostracoda: *Tetradella*, dimorphism (50)
Overgrowth: Permian, Texas (2)
Oxygen consumption: correlation with size, activity and organizational complexity (112)
Oxygen consumption rates: paleontologic significance (80)
Paeckelmannella calignea: new species, brachiopod (121)
Palaega lamnae: new species, Isopoda (9)
Palaeolyngbya minor: new species, cyanophyte (blue-green algae) (111)
Paleoecene: lobster, North Dakota (37)
Paleoclimates: significance of crocodilians (129)
Paleoecology: bryozoans, Cretaceous (40); nature and structure of (70); trilobites, Permian (23)
Paleoenvironmental analysis: Pleistocene, California (65)
Paleotemperatures: evolution of planktonic foraminifera (39)
Paleontologists: competence in related fields, proposal for planning (31)
Palynomorphs: preparation for the SEM (85)
Paraecology: benthonic Foraminifera (44)
Paragondolella excelsa: type species of *Paragondolella*, conodont (88)
Parahaentzchelinia ardelia: new ichnogenus and new ichnospecies, feeding burrow (16)
Parapholidostrophia harperi: new genus and new species, brachiopod (63)
Parastylonurus sigmoidalis: new species, eurypterid (66)
Parspaniocrinus beinerti: new genus and species, crinoid (123)
Partitiofilum gongyloides: new genus and species, cyanophyte (blue-green algae) (111)
Pennsylvania: eurypterid, Pennsylvania (115)
Pennsylvanian: Ammonoids, Somoholitidae (109); amphibian, Ohio (128); crinoids, Kansas (124); "By-the-wind-sailor," Oklahoma (18); conodonts, Illinois (87); *Conostichus broadheadi*, trace fossil (94); *Ogygopsis* shale fauna, Cambrian (12); sponge, Utah (103); trace fossils, Oklahoma (16); worms, Kansas (132)
Pentameroides costellata: new species, brachiopod (19)
Permian: ammonoids, Somoholitidae (109); ammonoids, Timor (109); ammonoids and nautiloids, Yukon Territory (90); amphibian, Oklahoma (91); brachiopods, Canada (130); crinoid, Mexico (123); nautiloid, Arizona (133); overgrowth, Texas (2); reptile, Europe (13); reptile, South Africa (28); sponge, Texas (38); trilobites, paleoecology (23)
Phanerosphaerops capitaneus: new genus and species, cyanophyte (blue-green algae) (111)
Phialaspongia fossa: new genus and species, sponge (104)
Phylogeny: cephalic musculature in Phacopina, trilobite (33); goniatites (109); *Tetradella*, Ordovician ostracode (50)
Pilichnia elliptica: new ichogenus and new ichnospecies, dwelling burrow (16)
?Planolites octichnus: new ichnospecies, crawling trail (16)
Platycrinites? crokeri: new species, crinoid (11)
Platycrinites testudo: new species, crinoid (11)
Pleistocene: paleoenvironmental analysis, California (65); snails, Bermuda (46)
Pliocene: vertebrate fauna, South Dakota (49)
Poecilozonites (Gastrelasmus) circumfirmatus cavespiram: new subspecies, snail (46)
Population structure: *Tetradella*, Ordovician ostracode (50)

Porifera: Ordovician, Minnesota and Iowa (104)
Precambiran: acritarch, Ontario (56); microorganisms, Australia (111); stromatolites, Rhodesia (110)
Presidential address: paleontologists and paleontology, an appraisal and a proposal (31)
Prioniodus girardeauensis: new species, conodont (108)
Properrinites furnishi: new species, ammonoid (90)
Proterozoic: stromatolite, California (59)
Prothalassoceras bostocki: new species, ammonite (90)
Protocaudina: holothurian, restudy (51)
Pyripora shawi: new species, bryozoan (40)
Radiolaria: nomenclatural controversy (45)
Reefs: colonial coelenterates, growth form (95)
Reptilia: *Caengnathiformes*, Aves (26); Permian, Europe (13); Permian, South Africa (28)
Respiratory rate: related to extinction (112)
Rhipidothyris circo: new species, brachiopod (63)
Rhodesia: stromatolites, Precambrian (110)
Roncellia debeaujeuensis: new genus and new species, trilobite (73)
Roncellia telosensis: new species, trilobite (73)
Sarcodina: how many "fossilizable," a discussion (127)
Scheiella thesaurium: new species, sponge (38)
Schizambon australis: morphology, inarticulate brachiopod (20)
Scolicia vada: new ichnospecies, crawling trail (16)
Scolicia virgamontis: new ichnospecies, crawling trail (16)
Shell orientation: oyster communities (69)
Silurian: brachiopod, Ontario (19); Coelenterata, Iowa (95); conodonts, Missouri (101); eurypterid, England (66); gastropod protoconchs assigned to Foraminifera (10)
Snails: Pleistocene, Bermuda (46)
Somoholites deroeveri: new species, goniatite (109)
Samaholites sagittarius: new species, goniatile (109)
South Dakota: vertebrate fauna, Pliocene (49)
Spinulicosta muirwoodi: new species, brachiopod (63)
Sponge: Pennsylvanian, Utah (103); Permian, Texas (38)
Stains: silicified wood (131)
Statistics: intraspecific variation of *Triticities cullomensis* (67)
Stenoporella: bryozoan, Mississippian (82)
Stenoporella sparsispinifeia: new species, bryozoan (82)
Plectodiscus circus: new species, chrondophore (18)
Stelloglyphus floris: new ichnospecies, feeding burrow (16)
Stratigraphy: stratigraphic documentation of fossils (117)
Stromatolite: Precambrian, Rhodesia (110); Proterozoic, California (59)
Sustergichnus lenadumbratus: new ichnogenus and new ichnospecies, (clay or fecal filled form) (16)
Synphoria stemmata compacta: new subspecies, trilobite (73)
Synphoriinae: subfamily, Dalmanitidae (73)
taphonomy: relation to paleoecology (70)
Taxonomy: *Tetradella*, Ordovician ostracode (50)
Tertiary: crocodiles, Nebraska (129)
Tetradella buckensis: new species, ostracode (50)
Tetradella scotti: new species, ostracode (50)
Texas: Isopoda, Cretaceous (9); nannofossil, Eocene (74); overgrowth, Permian (2); sponge, Permian (38)
Timor: goniatites, Permian (109)
Tomiopsis ovulum: new species, brachiopod (130)
Trace fossils: *Conostichus broadheadi*, Pennsylvanian (94); Devonian, Antarctica (43); nomenclature (43)
Triassic: conodonts, Nevada (89); decapod crustacean, Idaho (113)
Trilobites: Cambrian, evolution (122); Cambrian, Nevada (92); Cambrian, Utah (105); cephalic musculature, Phacopina (33); Devonian, evolutionary pattern (73); paleoecology, Permian (23)
Triticites cullomensis: intraspecific variation, statistical analysis (67)
Utah: sponge, Pennsylvania (103); trilobites, Cambrian (105)
Vertebrate fauna: Pliocene, South Dakota (49)
Vertebrate preparation: gypsum encrusted material (54)
Veteronostocale amoenum: new genus and species, cyanophyte (blue-green algae) (111)
Voehringerites: new genus, ammonoid (86)
Vidria? contendens: new species, trilobite (23)
Werneckeela hartensis: new genus and species, brachiopod (72)
Wood (silicified): stains (131)
Worm: Pennsylvanian, Kansas (132)
Yaverlandia bitholus: new genus and species, dinosaur (41)
Yukon Territory: ammonoids and nautiloids, Permian (90); brachiopod, Devonian (72); conodonts, Devonian (36)

XUM

XUM